



- ▶ Content: 13.2 litres
- ✓ Output max.: 90 - 100 cups
- Brewing time: 55 minutes for 13.2 litres



- Stainless steel filter

Decalcification signal  
Warm-holding function



- Stainless steel heating system
- 2 separate heating systems for brewing and warm-keeping function



- Including: cleaning scraper



### More pleasure and flexibility

Thanks to the optimised stainless steel filter, you can brew your coffee with or without filter paper.

- |                             |  |           |                          |
|-----------------------------|--|-----------|--------------------------|
| • Content:                  | 13,2 litre(s)  | • Size:   | W 350 x D 375 x H 540 mm |
| • Warm-keeping function:    | Yes  | • Weight: | 4.6 kg                   |
| • Brewing time:             | 55 minutes for 13,2 litres                                       |           |                          |
| • Minimum brewing quantity: | 6 litres (40 cups)   |           |                          |
| • Decalcification signal:   | Yes  |           |                          |
| • Filling level display:    | Yes  |           |                          |
| • Output max.:              | 90 - 100 cups  |           |                          |
| • Material filter:          | Stainless steel  |           |                          |
| • Material heating system:  | Stainless steel  |           |                          |
| • Power load:               | 1,45 kW   230 V   50/60 Hz                                       |           |                          |
| • ON/OFF switch:            | Yes  |           |                          |
| • Design:                   | Round filter   |           |                          |
| • Material:                 | Stainless steel  |           |                          |
|                             | Plastic  |           |                          |
| • Important information:    | -  |           |                          |
| • Colour:                   | Silver   |           |                          |
|                             | Black  |           |                          |
| • Including:                | Cleaning scraper   |           |                          |
| • Output heating element:   | 1,45 kW  |           |                          |
| • Properties:               | 2 separate heating systems for brewing and warm-keeping function |           |                          |
|                             | Coffee machine can also be used without filter paper             |           |                          |
|                             | Stainless steel heating recess                                   |           |                          |
| • Control lamp:             | ON/OFF   |           |                          |
|                             | Descaling  |           |                          |
|                             | Keeping warm   |           |                          |

### Round filter paper 245mm, 250pcs



- Order quantity unit: 1 box (250 round filters)
- Important information: -
- Diameter: 245 mm
- Designed for: Coffee maker "Regina Plus 90T"  
Coffee machine Bartscher PRO II 100  
Coffee machine Silver 1300
- Size: W 245 x D 245 x H 1 mm
- Weight: 0.55 kg

Code-No.  
GTIN 4015613561004

### Round filter paper 245mm, 1000pcs



- Order quantity unit: 1 box (1,000 round filters)
- Important information: -
- Diameter: 245 mm
- Designed for: Coffee maker "Regina Plus 90T"  
Coffee machine Bartscher PRO II 100  
Coffee machine Silver 1300
- Size: W 245 x D 245 x H 1 mm
- Weight: 2.1 kg

Code-No. A190011  
GTIN 4015613400129

### Descaler B15-30



- Order quantity unit: 1 box (30 bags à 15 g)
- Designed for: Coffee machines
- Content: 30 x 15 g
- Ph level: 1,8 - 2,4
- Chlorine-free: Yes
- Phosphate-free: Yes
- Properties: Ideal for use in coffee machines and kitchen appliances  
Reliable and fast removal of stubborn limescale and impurities bound in it  
Based on mild citric and lactic acid

Code-No. 190065  
GTIN 4015613541716

### Milk frother induction MSI400



- Power load: 0,6 kW | 230 V | 50 Hz
- Temperature range: 0 °C to 70 °C
- Automatic turn-off: Yes
- ON switch: Yes
- Mixing bowl: Detachable  
Stainless steel with plastic lid
- Design: Induction
- Material: Stainless steel
- Important information: -
- Properties: 4 non-slip feet made of silicone  
Beaker, lid, mixing disks, dishwasher-suitable

Code-No. 190129  
GTIN 4015613613413

### Milk frother MS600



- Power load: 0,5 kW | 220-240 V | 50/60 Hz
- Temperature range: 0 °C to 70 °C
- Control unit: Electronic  
Knob
- Content: 0,6 litre(s)
- Filling quantity: Frothing, max.: 125 ml  
Heating, max.: 500 ml
- Control lamp: In operation
- Colour: Silver  
Black
- Automatic turn-off: Yes

Code-No. 190211  
GTIN 4015613758077