



## GS3/C - Lincat Silverlink 600 Electric Counter-top Griddle - Chrome Plate - W 300 mm - 2.0 kW

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- ✓ Chrome surface heats up quicker than standard griddles with less energy loss as well as reduced energy radiation, keeping the kitchen cooler for staff and reducing pressure on the ventilation system
- ✓ Transfers heat to food more efficiently than a standard griddle
- ✓ Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- ✓ Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- ✓ The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

### Specifications

Summary		Power and Performance	
<b>Brand</b>	Lincat	<b>Total Power kW</b>	2.0
<b>Range</b>	Silverlink 600	<b>Temperature Range °C</b>	50-250
<b>Power Type</b>	Electric	<b>IP Rating</b>	IP23
<b>Unit Type</b>	Counter-top	<b>Cooking Area (Width x Depth) mm</b>	262 x 405
<b>Available in UK Only</b>	No	<b>Temperature Control</b>	Mechanical
<b>UK Warranty</b>	2 Years Parts and Labour Warranty		
<b>Export Warranty</b>	Contact your local dealer		
<b>GTIN</b>	5056105100119		

Key Specifications	
<b>Number of Heat Zones</b>	2
<b>Grill Plate Surface Type</b>	Smooth
<b>Grill Plate Material</b>	Chrome

Weights and Dimensions		Supply Connections	
<b>Unit Height (External) mm</b>	330	<b>Requires Installation</b>	No
<b>Unit Width (External) mm</b>	300	<b>Requires Electrical Supply</b>	Yes
<b>Unit Depth (External) mm</b>	600	<b>UK 3 Pin Plug</b>	Yes
<b>Net Weight Kg</b>	21.7	<b>Requires Hardwiring</b>	No
		<b>Electrical Supply Rating Watts</b>	2,000
		<b>Single Phase Amps</b>	8.7
		<b>Single Phase Voltage</b>	230
		<b>Three Phase Voltage</b>	400

Shipping	
<b>Packed Weight Kg</b>	23.87
<b>Packed Height cm</b>	49.5
<b>Packed Width cm</b>	70
<b>Packed Depth cm</b>	40




### Available Accessories

<b>CC3</b>	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm
<b>CN3</b>	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm

## Available Accessories

<b>HC3</b>	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW
<b>HCL3</b>	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW
<b>SB3</b>	300 GRIDDLE SPLASHB
<b>SLS3</b>	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm

## Technical Picture





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm