lincat





OE8105/OP - Lincat Opus 800 Electric Freestanding Twin Tank Fryer with Pumped Filtration - 2 Baskets - W 400 mm -14.0 kW An accurate Opus 800 Twin-Tank Free Standing Electric Fryer which comes with two independent fryer tanks for greater versatility and a pumped oil filter system.

- 📀 Two independent fryer tanks for greater versatility
- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Pumped oil return enables the oil to be filtered and the fryer ready for use again in less than five minutes - safe and convenient
- Oil can be filtered during or after service even whilst hot
- Hinged, lift out element, with safety interlock for easy tank access and cleaning

Specifications

Summary		Power and Performance	
Brand Range Power Type	Lincat Opus 800 Electric	Total Power kW Temperature Range °C IP Rating	14.0 90-190 IP24
Unit Type Available in UK Only UK Warranty Export Warranty GTIN	Free-standing No 2 Years Parts and Labour Warranty Contact your local dealer 5056105102908	Temperature Control	Mechanical
Key Specifications		Capacity	
Number of Baskets Number of Tanks Gravity Filtration Pumped Filtration Drain Location	2 2 No Yes Through the body	Product Output per Hour Capacity Litres	40kg chips - 12mm [frozen], 56.2kg chips - 12mm [c 2 x 9.5
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	1070 400 800 84	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Three Phase Amps	Yes Yes No Yes 14,000 L1=20.3; L2=20.3; L3=20.3

Shipping

92.4
122
85
45

Available Accessories

LK02

OPUS 350 LEG KIT

Three Phase Voltage

400






Available Accessories

OA8954

SPLASHGUARD FOR OPUS 800 ELECTRIC FRYERS

Technical Picture



lincat



Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30,Z

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm