





TD422M12G0 - FriFri
Touch 422 Electric Dropin Twin Tank Fryer - 2
Baskets - W 400 mm - 2 x
9.0 kW - Single Phase

For those who run the busiest professional kitchens and refuse to compromise on quality, a drop in Touch 422 is your newest kitchen assistant, helping you to deliver quality results every time.

- 24 one touch icon driven menu items, meaning regardless of the operator, at one touch deliver precisely the same results every time.
- Are there more fries than last time? Adaptive cooking automatically adjusts the cooking times to suit your batch size ensuring you never serve undercooked food.
- The 4.3" OPad is intuitive, easy to use and provides the wider functionality that only a touch screen can deliver.
- Easy-View Traffic Light Status ColourCue. Great for busy and noisy kitchens, ColourCue shows you the status of your fryer at a glance: red - attention required such as unload; amber - pre-heating; green - ready to fry.
- Understand your energy usage. Customise the eco settings by temperature to suit your operation. View where you can make savings with detailed analysis of the fryer's energy usage over the last 8 hours, 24 hours, 7 days and 28 days.
- ✓ Keeping your oil in peak condition! FriFri Oil

 Assistant and optional xFri© to easily monitor the

 condition of oil with the onscreen oil status. When

 prompted filter the oil even while its still hot, mid

 service if necessary, and resume frying in under

 five minutes. It is so quick and easy there is no

 excuse not to!
- Raising food to the next level. Perfect for kitchens where you don't have time for constant supervision, optional LiftFri® automatic basket lifting system lifts food at the end of the cycle to prevent overcooking.

- Optimum Allergy Control. Supplied with separate oil buckets, and can be supplied with separate pumped filtration systems, providing completely segregated gravity filtration for optimum allergen control or to cater for dietary preferences.
- Pressed tank for strength and durability. Radiused corners for easy cleaning. Hinged elements with two tilt positions for draining and cleaning.
- Data driven quality. For the ultimate repeatable results view your fryer usage data hours of operation coupled with the number of cook and filter cycles. For multi-site operations configure and clone your menu easily via USB.
- Consistency across sites. Ensure consistent, great quality results across multiple sites, easily via USB.
- Invest in the future of your business with a Touch fryer. With superior construction, an industry leading high output from minimal footprint, and with easy to apply USB software updates, Touch will ensure happy, satisfied customers for many years to come.
- Single phase.

Specifications

GTIN

Summary **Power and Performance Brand** FriFri Total Power kW 2 x 9.0 Temperature Range °C 40-190 Range Touch **Power Type** IP Rating IPX4 Electric **Unit Type** Drop in **Temperature Control** Electronic Available in UK Only **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer

5056105123026





Key Specifications		Capacity		
Number of Baskets	2	Product Output per Hour	2 x 20kg fries - 7mm [frozen]	
Number of Tanks	2	Capacity Litres	2 × 7.5-9.0	
Gravity Filtration	Yes			
Pumped Filtration	No			
Drain Location	Through the body			

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	809	Requires Installation	Yes
Unit Width (External) mm	397.5	Requires Electrical Supply	Yes
Unit Depth (External) mm	630	UK 3 Pin Plug	No
Net Weight Kg	68	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	2 × 9,000
		Single Phase Amps	2 x 39.1
		Single Phase Voltage	230
		Number of Supply Cables	2
Shipping			

Packed Weight Kg Packed Height cm	69.5794 72	
Packed Width cm	89	
Packed Depth cm	80	

Available Options		
Oil Pump		

OP1 10il Pump OP2 2 Oil Pumps

Basket Lift

OL1 1 Basket Lift OL2 2 Basket Lifts



Lincat Limited Customer Care

Whisby Road, **Tel:** +44 1522 875500

Lincoln, LN6 3QZ, Email: care@lincat.co.uk

United Kingdom **Company No:** 2175448

A member company of

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm