



## **REQUIRED FOOTPRINT FOR THIS MODEL**



180mm REQUIRED AT BOTH **ENDS OF GREASETRAP FOR PIPEWORK AS SHOWN** 

## **REQUIRED HEADROOM FOR THIS MODEL**



## 150mm REQUIRED AT TOP OF GREASETRAP TO ALLOW FOR LID **REMOVAL & CLEANING AS SHOWN**

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS  TOLERANCES: LINEAR 0 - 10		DEBUR AND BREAK ALL SHARP EDGES		PROJECT:				
		ALL DIMENSIONS TO OUTSIDE EDGES UNLESS STATED OTHERWISE		TAYLORMADE GREASETRAP RANGE				
		First Angle Projection		TITLE:				
				BIOTRAP-US-570				
SAP		FINISH:		DWG NO.				
	NAME	DATE	SATIN			KS174230		
DRAWN	tfrench	02 Jul 2021	MATERIAL:		1317 7200		1200	
APPV'D	'D		304\$\$		4	-lane	ando.	۸.2
PROJECT PROJECT_02332		REVISION	SIZE / THICKNESS	:	la	taylormade.ie A3		
SALES			N/A		GREASETRAP SOL		SOLUTIONS	
ORDER			WEIGHT: 68 94 kg	7	SCALE-1-10			