CDRI

JOGI

Refrigerator-1 trolley-AISI 304-Roll-In

One-piece structure in AISI 304 stainless steel. 1 door. Interior designed to take trolleys with capacity 20 GN 2/1 or EN 60x80cm containers. Temperature ranges: +2/+10°C. Electronic control panel. Fan-assisted refrigeration with external evaporator. Automatic "intelligent" defrosting. Equipped with lighting and key-operated lock.



 ϵ

General information

Supplier/producer 's name	SAGI
Series	Class Roll In
Supplier's model identifier	CDRI
Category	vertical cabinet
Туре	refrigerator
Line	catering - roll in

Technical features

cillical reactares	
Temperature ranges, °C	+2/+10
Energy Efficiency Class	product are excluded from the European energy classification label according to EU Regulation 2015/1
Net usable volume, lt	1450
Volume, gross, lt	1526
Climate class	5 (+40°C, 40% R.H.)
Refrigerant/GWP	R404A/3922
LWA dB(A)	62
Cooling system	ventilated refrigeration system
Defrosting	automatic "intelligent" defrosting by hot gas, which activates only when necessary
Evaporation of condense drain	automatic
Refrigeration power at -10°C W	566
Frequency/voltage	230V 1N~ / 50Hz
Electric power, kW	0,8

Construction features

Refrigerator-1 trolley-AISI 304-Roll-In





CDRI



	Structure	panels
	External material	AISI 304 stainless steel
	Internal material	AISI 304 stainless steel
	Insulation thickness, mm	70
	Door	Door clearance (LxHxD) 70x181,5x88 cm
	Standard hinging door	on the right/reversible on the site with self-closing device for openings inferior to 90°
	Internal structure	for trolleys
Cor	ntrol and functions	
	Kinf of control	electronic pannel control board
	Display	digital
	Alarms	optical and acoustical
	Functions/programs	Hyper Cold, Energy Saving
Standard		
	Key-lock	yes
	Lighting	yes
Din	nensions and weights	
	Packing (LxDxH), cm	116x119x240
	Dimensions (LxDxH), cm	105,5x105,5x225
	Gross Weight (kg)	200
	Net Weight (kg)	180