



- ▶ More cooking flexibility
- ✓ 4 hobs or 2 induction zone surfaces



- ▶ Output: 7.2 kW


- ▶ Hob surface: SCHOTT CERAN®
- ✓ Hob diameter: 220 mm
- ✓ Dimensions of induction zone surfaces: 220 x 400 mm



You simply can't get more flexible – 7.2 kW can be distributed over 4 hobs or 2 induction zone surfaces as you choose. This allows the induction surface to be fully utilised with a wide range of pot sizes and shapes.

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Material hob: SCHOTT CERAN®</li> <li>• Type of cooking zones: Combi induction surface</li> <li>• Size cerane surface: W 590 x D 520 mm</li> <li>• Diameter hob: 220 mm</li> <li>• Output hob(s) max.: 1.8 kW / 3 kW</li> <li>• Output of surface induction zones: 3 kW / 4 kW</li> <li>• Number of output levels: 9</li> <li>• Number of temperature levels: 9</li> <li>• Intervals temperature setting: -</li> <li>• Timer: Yes</li> <li>• Time adjustment: 1 to 99 minutes</li> <li>• Intervals time setting: 1 minute(s)</li> <li>• Can be installed: Yes</li> <li>• Installation dimensions: 560 x 490 mm</li> <li>• Pot recognition: Yes</li> <li>• Pause function: Yes</li> <li>• Lock button (child protection): Yes</li> <li>• Digital display: Yes</li> <li>• Overheating protection: Yes</li> <li>• Automatic turn-off: Yes</li> <li>• ON/OFF switch: Yes</li> <li>• Control lamp: ON/OFF</li> </ul> | <ul style="list-style-type: none"> <li>• Control unit: Electronic</li> <li>• Equipment connection: 2 NAC</li> <li>• Properties: Boost function</li> <li>• Power load: 7,2 kW   400 V   50/60 Hz</li> <li>• Design of cooking zones: 4 hobs or 2 surface induction zones</li> <li>• Colour: Black</li> <li>• Dimensions of surface induction zones: 220 x 400 mm</li> <li>• Regulation of: Output<br/>Temperature<br/>Time</li> <li>• Important information: -</li> <li>• Material: Aluminium<br/>Plastic</li> <li>• Size: W 590 x D 520 x H 60 mm</li> <li>• Weight: 13.5 kg</li> </ul> |
|---|---|

- ▶ Pause function
- ▶ Boost function
- ▶ Automatic shutdown



- ▶ Installation dimensions:
- ✓ 560 x 490 mm



### Frying pan 240A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 240 mm
- Diameter surface: 175 mm
- Pan height: 55 mm
- Material: Aluminium  
Stainless steel
- Important information: -

Code-No. A150324  
GTIN 4015613677958

### Frying pan 280A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 280 mm
- Diameter surface: 205 mm
- Pan height: 55 mm
- Material: Aluminium  
Stainless steel
- Important information: -

Code-No. A150328  
GTIN 4015613677965

### Cookware set T4



- Set comprises: 4 pots with a lid  
Pot 1: contents 8 litres, Ø surface 24 cm, height 20 cm  
Pot 2: contents 9 litres, Ø surface 26 cm, height 20.5 cm  
Pot 3: contents 13 litres, Ø surface 28 cm, height 22.5 cm  
Pot 4: contents 15 litres, Ø surface 30 cm, height 25 cm
- Handle properties: Cold handle(s)
- Induction-suitable: Yes

Code-No. A130441  
GTIN 4015613403977

### Cookware set T4P1



- Handle properties: Cold handle(s)
- Induction-suitable: Yes
- Material handle(s): Chrome-nickel steel
- With pouring rim: Yes
- Material: Chrome-nickel steel
- Important information: -
- Set comprises: 4 pots with a lid and 1 pan  
Pot 1: contents 2 litres, Ø surface 16 cm, height 10 cm  
Pot 2: contents 2.7 litres, Ø surface 18 cm, height 11 cm

Code-No. A130442  
GTIN 4015613417158

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078  
GTIN 4015613731926